8175 CrownPro™ Polyaspartic Coating by Crown Polymers

SCREENING DATE: 2026-08-19
PUBLISHED DATE: 2026-10-09
EXPIRY DATE: 2029-08-19
PREPARER: Self-Prepared

Health Product Declaration v3.0
created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 91587282
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 67 23 Resinous Flooring
PRODUCT DESCRIPTION: 8175 CrownPro is a two-component abrasion, chemical, and stain-resistant, fast-curing polyaspartic, it is self-priming, intermediate coat, and topcoat. It is available in clear gloss and can be pigmented with CrownPigment™ PigmentPacks™. It cures to an inert, tough, impact, abrasion, and chemical resistance finish coat. It is resistant to Skydrol, betadine, and conventional hot-tire staining. Excellent adhesion to Crown Polymers epoxy system. 8175 CrownPro is used as an upgraded topcoat on Crown Polymers products and systems used in aircraft hangars, industrial kitchens, automotive showrooms and shop floors, commercial laboratories, and research facilities, hospital and health care, wine and spirit processing, and other facilities subjected to heavy foot traffic, forklift traffic and chemical attack. It is VOC Compliant in all states and provinces in North America. It is available in two working times: 8175-F (Fast) and 8175-S (Slow).

Section 1: Summary — Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
→ Nested Materials Method

Threshold Disclosed Per
→ Product

Threshold Level
→ 100 ppm

Residuals/Impurities Evaluation
Completed in **12** of **12** Materials

Explanation(s) provided for Residuals/Impurities?
Yes

For all contents above the threshold, the manufacturer has:

Characterized Yes
Provided weight and role.

Screened Yes
Provided screening results using HPDC-approved methods.

Identified Yes
Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

BINDER 2 [DESMOPHEN LS 2973 LT-P1 | MUL (2E)-2-BUTENEDIOIC ACID DIETHYL ESTER LT-P1 | MUL | MAM | AQU] CURING AGENT [HEXAMETHYLENDIISOCYANATOLIGOMERE, ALLOPHANAT (MITTLERE MOLMASSE = 1480 G/MOL) LT-P1 | SKI HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM] SOLVENT [1-CHLORO-4-(TRIFLUOROMETHYL)BENZENE LT-1 | CAN | MUL | MAM | SKI | EYE] BINDER 1 [ASPARTIC ACID, N,N'-(METHYLENEBIS(2-METHYL-4,1-CYCLOHEXANEDIYL))BIS-, 1,1',4,4'-TETRAETHYL ESTER LT-P1 | MUL (2E)-2-BUTENEDIOIC ACID DIETHYL ESTER LT-P1 | MUL | MAM | AQU] SOLVENT 2 [O-XYLENE BM-1 | MUL | SKI | MAM | EYE | AQU | PHY] ADDITIVE 3 [D-LIMONENE LT-1 | SKI | MUL | PBT | AQU | EYE | MAM] POLYMER [3-OXAZOLIDINEETHANOL, 2-(1-METHYLETHYL)-, 3,3'-CARBONATE LT-UNK | EYE] ADDITIVE 1 [NAPHTHA, PETROLEUM, HEAVY ALKYLATE LT-1 | CAN | MUL | GEN | SKI | EYE | MAM] ADDITIVE 2 [ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | MUL | SKI] ADDITIVE 4 [POLYETHYLENE GLYCOL DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-TERT-BUTYL-4-HYDROXYPHENYL)-1-OXOPROPYL) ETHER NoGS POLY(OXY-1,2-ETHANEDIYL), ALPHA-(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)-1-OXOPROPYL)-OMEGA-HYDROXY- NoGS] STABILIZER [DECANEDIOIC ACID, 1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER BM-1 | PBT | MUL | MAM | EYE METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE LT-P1 | MUL] SOLVENT 1 [XYLENES BM-1 | END | MUL | REP | SKI | EYE | MAM | AQU]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. All materials/substances present in the final product were screened at or above 100 ppm, and all potential hazards associated with the product have been disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <75 Regulatory (g/l): 100
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested
VOC content: VOC Content - Not Tested

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

BINDER 2

%: 30.0000 - 31.0000

PRODUCT THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

DESMOPHEN LS 2973

ID: 136210-30-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** | HAZARD SCREENING DATE: **2026-08-19 15:47:13**

%: **95.0000 - 100.0000** | GreenScreen: **LT-P1** | RC: **None** | NANO: **No** | SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

(2E)-2-BUTENEDIOIC ACID DIETHYL ESTER

ID: 623-91-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** | HAZARD SCREENING DATE: **2026-08-19 15:47:39**

%: **1.0000 - 5.0000** | GreenScreen: **LT-P1** | RC: **None** | NANO: **No** | SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

CURING AGENT

%: 28.0000 - 30.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part B of the Polyurethane system.

HEXAMETHYLENDIISOCYANATOLIGOMERE, ALLOPHANAT (MITTLERE MOLMASSE = 1480 G/MOL)

ID: 28182-81-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-08-19 15:59:36**

%: **95.0000 - 100.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin sensitisation category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

HEXAMETHYLENE DIISOCYANATE

ID: 822-06-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-08-19 16:00:06**

%: **0.0000 - 0.1500** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]

SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin sensitisation category 1
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - Mixtures Only

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

SOLVENT

%: 20.0000 - 22.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part B of the Polyurethane system.

1-CHLORO-4-(TRIFLUOROMETHYL)BENZENE

ID: **98-56-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 16:00:38**

%: **99.0000 - 100.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

BINDER 1 %: 9.2000 - 10.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

ASPARTIC ACID, N,N'-(METHYLENEBIS(2-METHYL-4,1-CYCLOHEXANEDIYL))BIS-, 1,1',4,4'-TETRAETHYL ESTER

ID: **136210-32-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:45:55**

%: **95.0000 - 100.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

(2E)-2-BUTENEDIOIC ACID DIETHYL ESTER

ID: **623-91-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:46:36**

%: **1.0000 - 5.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

SOLVENT 2 %: 5.5000 - 6.5000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

O-XYLENE ID: 95-47-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:51:35**

%: **95.0000 - 100.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Korea	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

PHY	GHS - New Zealand	Flammable liquids category 2
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

ADDITIVE 3 %: 0.9000 - 1.1000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

D-LIMONENE ID: 5989-27-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:54:56**

%: **96.0000 - 100.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern (Sections B&C)

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

POLYMER

%: 0.9000 - 1.1000

PRODUCT THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

3-OXAZOLIDINEETHANOL, 2-(1-METHYLETHYL)-, 3,3'-CARBONATE

ID: **145899-78-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** | HAZARD SCREENING DATE: **2026-08-19 15:58:55**

%: **99.0000 - 100.0000** | GreenScreen: **LT-UNK** | RC: **None** | NANO: **No** | SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

ADDITIVE 1

%: 0.4000 - 0.6000

PRODUCT THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

NAPHTHA, PETROLEUM, HEAVY ALKYLATE

ID: **64741-65-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** | HAZARD SCREENING DATE: **2026-08-19 15:48:28**

%: **90.0000 - 100.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
GEN	EU - REACH Annex XVII CMRs	Germ cell mutagens: Category 1B
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - Mixtures Only
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

ADDITIVE 2

%: 0.4000 - 0.6000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual

material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

ALKYL (C12, C14) GLYCIDYL ETHER

ID: **68609-97-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:49:15**

%: **80.0000 - 100.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

ADDITIVE 4

%: 0.3500 - 0.4500

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

POLYETHYLENE GLYCOL DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-TERT-BUTYL-4-HYDROXYPHENYL)-1-OXOPROPYL) ETHER

ID: **104810-47-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:57:14**

%: **30.0000 - 60.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Absorbent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

POLY(OXY-1,2-ETHANEDIYL), ALPHA-(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)-1-OXOPROPYL)-OMEGA-HYDROXY- ID: **104810-48-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:57:51**

%: **30.0000 - 60.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Absorbent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

STABILIZER %: 0.2500 - 0.3500

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

DECANEDIOIC ACID, 1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER ID: **41556-26-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:55:35**

%: **60.0000 - 80.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE ID: **82919-37-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:56:04**

%: **10.0000 - 30.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

SOLVENT 1

%: 0.0090 - 0.0110

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities."

OTHER MATERIAL NOTES: This material is a component of Part A of the Polyurethane system.

XYLENES

ID: **1330-20-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-08-19 15:50:07**

%: **90.0000 - 100.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Korea	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS — **CDPH Standard Method - Not tested**

COMPLIANCE TYPE: Self-declaration
ISSUE DATE: 2026-08-21
EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None
COMPLIANCE DETAILS:
COMPLIANCE SCOPE:
APPLICABLE FACILITIES: All
COMPLIANCE URL:
COMPLIANCE NOTES:

VOC CONTENT — **VOC Content - Not Tested**

COMPLIANCE TYPE: Self-declaration
ISSUE DATE: 2026-08-21
EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: CrownPolymers
COMPLIANCE DETAILS:
COMPLIANCE SCOPE:
APPLICABLE FACILITIES: All
COMPLIANCE URL: https://crownpolymers.com/wp-content/uploads/8175-TDS-2.pdf
COMPLIANCE NOTES: The VOC content is self-reported using the Product Data Sheet (PDS).

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

For more information, please refer to the product data sheet at: https://crownpolymers.com/wp-content/uploads/8175-TDS-2.pdf

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Crown Polymers**
ADDRESS: **13827 Carmenita Rd. Bldg 200 Santa Fe Springs, CA 90670**
Santa Fe Springs, California 90670
COUNTRY: **United States**

WEBSITE: **https://crownpolymers.com/**
CONTACT NAME: **Thomas Choe**
TITLE: **Business Operations, Director**
PHONE: **(562) 331-9080**
EMAIL: **thomas@crownpolymers.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.