

HEALTHCARE







Healthcare Facility Flooring Product Selection Guide

Area	Name	Product Features
Lobby	Terrazzo - Terracrown 8370 / 8371 / 8372 Metallic Floors (Anti-Microbial Additive Optional) 8328 / 8190	Excellent bonding for direct to concrete while preventing off gassing concerns from the concrete slab that can lead to pinholes, fish-eye, or premature floor failure.
Kitchen	Crowncrete U - Urethane Cement	Perfected for high build coating and thin mils decorative flakes and colored quartz systems. Also, ideal for resurfacing of spalled concrete.
Restroom	Double Broadcast Flake System (Anti-Microbial Additive Optional) 320 / 8327HD / 8190 / 7072 Solid Color Floor (Anti-Microbial Additive Optional) 320 / 8100	Standard high-performance and chemical-resistant coating systems. Exhibits strong film properties offering wear resistance that can withstand heavy traffic areas.
Mechanical Room	Solid Color Floor (Anti-Microbial Additive Optional) 8502 / 8503 / 8320 / 7072	Ideal flexible coating system that is designed for impact resistance and strong physical properties.
Loading Dock	Solid Color Floor (Anti-Microbial Additive Optional) 8320 / 8100	Coating system ideal for areas that require high chemical and wear resistance.

Distribution Centers:

13827 Carmenita Road, Suite 200, Santa Fe Springs, CA 90670
14800 Spring Ave, Santa Fe Springs, CA 90670
1220 E. North Avenue, Fresno, CA 93725
2051 Reliance Parkway, Bedford, TX 76021
11111 Kiley Drive, Huntley, IL 60142







Healthcare facilities are pressing environments requiring the most stringent maintenance and products that are durable, stain resistant, and hygienic. These floors must be economical and reduce maintenance time as well as having to last not one year but decades.

Traditional floorings such as vinyl or carpeting are difficult and time-consuming to clean and sterilize between operations. The demand of the sanitation process required to maintain the floors can cause damage, as abrasion from scouring out stains results in the removal of sealer and the need for costly repairs. Physical damage from foot traffic, rolling carts, and wheelchairs further damage the floors, causing rips and broken welds. Crown Polymers Floor Systems provide durable seamless and sanitary options that are antibacterial, static resistant, and easy to maintain and sterilize.

At Crown Polymers, we believe expertise and dedicated responsiveness make all the difference to our customers. Our staff engineers and chemists average over 25 years of industry experience and many participated in the original development of floor protection and decorative flooring systems. Our team of engineers, chemists, and technical staff work closely to support field applications, often with custom formulations.

■ Delivering Results, Reliability & Rock-Solid Dependability.

Typical Uses:

Cafeterias

Clean Rooms

Corridors

Emergency Rooms

Kitchens

Laboratories

Laundry Rooms

Loading Docks

Lobbies

Locker Rooms and Restrooms

Mechanical Room

Operating Rooms

Patient Rooms

Rehab Rooms - Hot Tubs and Pools

Static-Free Work Shops

Benefits:

Warm and inviting floor designs Seamless floor surfaces

Easy maintenance

Slip-resistance

Underfoot comfort


Rejects dangerous bacteria

Protects against static load

Options for aseptic environments

Low cost









Terrazzo - Terracrown 8370 / 8371 / 8372

Metallic Floors (Anti-Microbial Additive Optional) 8328 / 8190







Double Broadcast Flake System 320 / 8327HD / 8190 / 7072

Solid Color Floor (Anti-Microbial Additive Optional) 320 / 8100

E.S.D (Electric Static Dissipative Flooring)

8601 / 8602





With over 30+ years of industry experience, Crown Polymers is one of the nation's leading manufacturers of high-performance epoxy and urethane-based floor coating products and concrete repair systems for commercial, institutional and industrial floors. Crown's production capabilities span across California, Texas, and Illinois with over 1,000,000 square feet of manufacturing space.

GET IN TOUCH

11111 Kiley Drive, Huntley, IL 60142

13827 Carmenita Road, Suite 200, Santa Fe Springs, CA 90670

2051 Reliance Pkwy. Bedford, TX 76021

Telephone: (847) 659-0300
Website: crownpolymers.com
Email: info@crownpolymers.co



All guidelines, recommendations, statements, and technical data contained herein are based on information and tests. The accuracy and completeness of such tests are not guaranteed and are not to be construed as a warranty, expressed or implied. It is the responsibility of the user to document information and tests to determine the intent of the product for ones' own use. The application, job conditions and user assumes all risks and liability resulting from use of the product. We do not suggest or guarantee any hazards listed herein are the only ones, which may exist. Neither seller nor manufacturer shall be liable to the buyer or any third person for any injury, loss or damage directly or indirectly resulting from use of, or inability to use the product. Recommendations or statements, whether in written or verbal, other than those contained herein shall not be binding upon the manufacturer, unless in writing and signed by a corporate officer of the manufacturer. Technical and application information is provided for the purpose of establishing a general profile of the material and proper application procedures. Test performance results were obtained in a controlled environment and Crown Polymers makes no claim that these tests or any other tests accurately represent all environments.

All registered trademarks are of Crown Polymers Corp. unless otherwise noted. ⊚ Crown Polymers Corp., 2023 Printed in the US